


# SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: CB2012-102Y-N				DWG.NO: TE2000050			
CUSTOMER PART NO:				CUST.DWG.NO:			
(1) DIMENSIONS (UNIT: mm)  				A	2.0 ± 0.2	m/m	
				B	1.2 ± 0.2	m/m	
				C	0.9 ± 0.2	m/m	
				D	0.5 ± 0.3	m/m	
				E		m/m	
				F		m/m	
				G		m/m	
				H		m/m	
				I		m/m	
				J		m/m	
(2) ELECTRICAL REQUIREMENTS							
Z (Ω)	1000 ± 25%	TEST FREQ	100MHz / 100mV				
RDC (Ω)	0.45 (MAX)	TEST FREQ					
IDC (mA)	200 (MAX)	TEST FREQ					
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP 4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY 黃慧診			

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB: www.coremaster.com.tw

# TEST DATA

CUSTOMER :				DATE :					
PART NO: CB2012-102Y-N				DWG.NO: TE2000050					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z ( $\Omega$ )	RDC ( $\Omega$ )	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz / 100mV								
SPEC	1000 $\pm 25\%$	0.45 (MAX)	200 (MAX)	2.0 $\pm 0.2$	1.2 $\pm 0.2$	0.9 $\pm 0.2$	0.5 $\pm 0.3$		
1	974.7	0.233	OK	2.01	1.25	0.88	0.48		
2	1001.9	0.218	OK	2.03	1.21	0.90	0.50		
3	994.8	0.234	OK	2.02	1.24	0.89	0.52		
4	1003.2	0.228	OK	2.01	1.21	0.88	0.51		
5	1000.6	0.229	OK	2.03	1.22	0.89	0.53		
6	1006.9	0.227	OK	2.04	1.23	0.90	0.52		
7	1036.1	0.238	OK	2.01	1.21	0.87	0.48		
8	977.6	0.229	OK	2.02	1.24	0.91	0.50		
9	965.5	0.217	OK	2.01	1.22	0.89	0.51		
10	1004.8	0.219	OK	2.03	1.21	0.88	0.52		
$\bar{X}$	996.6	0.227		2.02	1.22	0.89	0.51		
R	70.6	0.021		0.03	0.04	0.04	0.05		
						APPROVED BY 吳載敏			
						CHECKED BY 張明德			
						DRAWN BY 黃慧診			

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB: www.coremaster.com.tw

# CB2012-102Y-N

