


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: LCB1608-102Y-N				DWG.NO: SI1634241			
CUSTOMER PART NO:				CUST.DWG.NO:			
(1) DIMENSIONS (UNIT: mm) 				A	1.6 ± 0.15	m/m	
				B	0.8 ± 0.15	m/m	
				C	0.8 ± 0.15	m/m	
				D	0.3 ± 0.20	m/m	
				E		m/m	
				F		m/m	
				G		m/m	
				H		m/m	
				I		m/m	
				J		m/m	
(2)ELECTRICAL REQUIREMENTS							
Z (Ω)	1000 ± 25%	TEST FREQ	100MHz				
RDC (Ω)	0.20 (MAX)	TEST FREQ					
IDC (mA)	1000 (MAX)	TEST FREQ					
TEST INSTRUMENTS HP4291A HP4287A+HP16092A HP4338B				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-102Y-N				DWG.NO: SI1634241					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)						
FREQ	100MHz								
SPEC	1000 ± 25%	0.20 (MAX)	1000 (MAX)						
1	973	0.123	OK						
2	990	0.120	OK						
3	1024	0.125	OK						
4	1023	0.117	OK						
5	1033	0.124	OK						
6	1024	0.125	OK						
7	1023	0.117	OK						
8	1033	0.124	OK						
9	973	0.123	OK						
10	990	0.120	OK						
X	1009	0.122							
R	60	0.008							
							APPROVED BY		
							吳載敏		
							CHECKED BY		
							張明德		
							DRAWN BY		
							黃慧診		

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB1608-102Y-N

