


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: LCB2012-151Y-N				DWG.NO: TE1062501			
CUSTOMER PART NO:				CUST.DWG.NO:			
(1) DIMENSIONS (UNIT: mm) 				A	2.0 ± 0.2	m/m	
				B	1.2 ± 0.2	m/m	
				C	0.9 ± 0.2	m/m	
				D	0.5 ± 0.3	m/m	
				E	m/m		
				F	m/m		
				G	m/m		
				H	m/m		
				I	m/m		
				J	m/m		
(2) ELECTRICAL REQUIREMENTS							
Z (Ω)	$150 \pm 25\%$	TEST FREQ	100MHz / 100mV				
RDC (Ω)	0.06 (MAX)	TEST FREQ					
IDC (mA)	3000 (MAX)	TEST FREQ					
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :					DATE :				
PART NO: LCB2012-151Y-N					DWG.NO: TE1062501				
CUSTOMER PART NO :					CUST.DWG.NO :				
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)		DIMENSION (UNIT : mm)				
FREQ	100MHz /100mV				A	B	C	D	
SPEC	150 ± 25%	0.06 (MAX)	3000 (MAX)		2.0 ± 0.2	1.2 ± 0.2	0.9 ± 0.2	0.5 ± 0.3	
1	132.2	0.027	OK		2.00	1.20	0.91	0.50	
2	128.9	0.028	OK		2.01	1.20	0.91	0.51	
3	124.8	0.028	OK		2.03	1.21	0.95	0.53.	
4	128.6	0.028	OK		2.02	1.20	0.92	0.52	
5	126.4	0.029	OK		2.01	1.22	0.93	0.49	
6	131.1	0.027	OK		2.04	1.24	0.92	0.52	
7	130.1	0.026	OK		2.05	1.23	0.93	0.48	
8	129.9	0.028	OK		2.00	1.21	0.91	0.49	
9	129.7	0.029	OK		2.02	1.22	0.92	0.52	
10	124.5	0.027	OK		2.01	1.20	0.91	0.50	
$\bar{X}$	128.6	0.028			2.02	1.21	0.92	0.50	
R	7.70	0.003			0.05	0.04	0.04	0.04	
						APPROVED BY 吳載敏			
						CHECKED BY 張明德			
						DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB2012-151Y-N

